

Reoperations

Study No.	Author(s)	Year	Category	RCT	Sample Size	Mean Age	Mean BMI
100136	Scozzari G, Farinella E, Bonnet G, Toppino M, Morino M.	2009	2	1	49	37.2	44.7
100136			3	1	51	38.2	44.2
100264	Pinheiro JS, Schiavon CA, Pereira PB, Correa JL, Noujaim P, Cohen R.	2008	1	1	57		53.4
100264			1	1	48		54.7
100277	Nocca D, Krawczykowsky D, Bomans B, Noel P, Picot MC, Blanc PM, et al.	2008	4	0	163	41.57	
100297	Dixon JB, O'Brien PE, Playfair J, Chapman L, Schachter LM, Skinner S, et al.	2008	2	1	30	46.6	37
100297			5	1	30	47.1	37.2
100355	Nocca D, Aggarwal R, Blanc P, Gallix B, Di Mauro GL, Millat B, et al.	2007	3	0	200	41	43.2
100385	Angrisani L, Lorenzo M, Borrelli V.	2007	2	1	27	33.8	43.4
100385			1	1	24	34.1	43.8
100394	Naef M, Naef U, Mouton WG, Wagner HE.	2007	2	0	128	40.20	44.5
100414	Himpens J, Dapri G, Cadiere GB.	2006	2	1	40		
100414			4	1	40		
100466	Puzziferri N, Austrheim-Smith IT, Wolfe BM, Wilson SE, Nguyen NT.	2006	1	1	79	47	48
100466			1	1	76	50	49
100493	van Dielen FM, Soeters PB, de Brauw LM, Greve JW.	2005	3	1	50	39	46.6
100493			2	1	50	37.2	46.7
100526	Olbers T, Fagevik-Olsen M, Maleckas A, Lonroth H.	2005	1	1	37	37	42.7
100526			3	1	46	34	42.1
100548	Suter M, Giusti V, Worreth M, Heraief E, Calmes JM.	2005	2	1	90	39.5	42.6
100548			2	1	90	36.3	43.4

100555	Biertho L, Steffen R, Branson R, Potoczna N, Ricklin T, Piec G, et al.	2005	2	0	824	43	42.4
100609	J Kirchmayr W, Klaus A, Muhlmann G, Mittermair R, Bonatti H, Aigner F, et al.	2004	2	1	20	37	44
100609			2	1	20	36	41
100612	Avsar FM, Ozel H, Topaloglu S, Yuksel BC, Berkem H, Delibasi T, et al.	2004	3	0	40		45.00
200003	D, Mancini MC, Halpern A, Zilberstein B, Garrido AB, Jr, Ceconello I.	2010	2	0	20		47.51
200007	Ray JB, Ray S.	2011	2	0	442	47	47
200019	Edelson PK, Dumon KR, Sonnad SS, Shafi BM, Williams NN.	2011	2	0	287	45	45.4
200019			2	0	120	47	45.1
200041	Boza C, Gamboa C, Perez G, Crovari F, Escalona A, Pimentel F, et al.	2011	1	0	237	42.69	44.31
200041			1	0	90	43.09	44.64
200041			2	0	87	79.31	43.17
200041			2	0	26	80.77	42.92
200043	Kasza J, Brody F, Vaziri K, Scheffey C, McMullan S, Wallace B, et al.	2011	2	0	144	43	45.6
200196	Shapiro K, Patel S, Abdo Z, Ferzli G.	2004	2	0	30		
200196			2	0	30		
200200	Semple CW, Chehata A, Wilkinson S, Wertheimer MA.	2003	2	0	207		45.9
200201	Suter M, Giusti V, Heraief E, Zysset F, Calmes JM.	2003	2	0	300	38.3	43.3
300059	Lewis CE, Dhanasopon A, Dutson EP, Mehran A.	2009	4	0	42	47	54
300170	He M. et al.		1	0	310	41.9	46.3
300172	Langer FB, Bohdjalian A, Hoda A, Silberhumer G, Felberbauer FX, Rasoul-Rockenschaub S, et al.	2004	2	0	60	38.4	48.1
400034	Schouten R, Wiryasaputra DC, Van Dielen FM, Van Gemert WG, Greve JW.		2	0	48	39	47

400034			3	0	17	39	47
400034			1	0	26	39	48
400055	Campos GM, Rabl C, Roll GR, Peeva S, Prado K, Smith J, et al.	2011	2	0	100	47	45.7
400055			1	0	100	47	46
400056	Chouillard EK, Karaa A, Elkhoury M, Greco VJ.	2011	4	0	200	41	44.5
400056			1	0	200	39	44.5
400061	Depaula AL, Stival A, Halpern A, Vencio S.		4	0	454	53.6	29.7
400069	Higa, K.; Ho, T.; Tercero, F.; Yunus, T.; Boone, K. B.		1	0	242		
400072	Hutter MM, Schirmer BD, Jones DB, Ko CY, Cohen ME, Merkow RP, et al.	2011	4	0	988	46.52	46.24
400072			2	0	12193	44.31	43.91
400072			1	0	14491	44.6	46.07
400113	Alley, J. B.; Fenton, S. J.; Harnisch, M. C.; Tapper, D. N.; Pfluke, J. M.; Peterson, R. M.		2	0	39	47	41.9
400113			4	0	69	49.6	42.7
400121	Helmiö M, Victorzon M, Ovaska J, et al.	2012	1	1	119	49	44.6
400121			4	1	121	49	44.6
400122	Inabnet Iii WB, Winegar DA, Sherif B, Sarr MG.	2012	2	0	4245	54.1	45.5
400122			1	0	7294		47.6
400122			4	0	406		48.6
400122			1	0	208		51
600015	Nguyen NT, Slone JA, Nguyen XM, Hartman JS, Hoyt DB.	2009	1	1	111		
600015			2	1	86		

[400113] Alley JB, Fenton SJ, Harnisch MC, Tapper DN, Pfluke JM, Peterson RM. Quality of life after sleeve gastrectomy and adjustable gastric banding. Surgery for Obesity and Related Diseases. 2012;8(1):31-40.

- [100385] Angrisani L, Lorenzo M, Borrelli V. Laparoscopic adjustable gastric banding versus roux-en-y gastric bypass: 5-year results of a prospective randomized trial. *Surg Obes Relat Dis.* 2007;3(2):127-32; discussion 32-3. Epub 2007/03/03.
- [100612] Avsar FM, Ozel H, Topaloglu S, Yuksel BC, Berkem H, Delibasi T, et al. Improvement of vertical banded gastroplasty by strict dietary management. *Obes Surg* 2004 Feb;14(2):265-270.
- [100555] Biertho L, Steffen R, Branson R, Potoczna N, Ricklin T, Piec G, et al. Management of failed adjustable gastric banding. *Surgery* 2005 Jan;137(1):33-41.
- [200041] Boza C, Gamboa C, Perez G, Crovari F, Escalona A, Pimentel F, et al. Laparoscopic adjustable gastric banding (LAGB): surgical results and 5-year follow-up. *Surg Endosc* 2011 Jan;25(1):292-297.
- [400055] Campos GM, Rabl C, Roll GR, Peeva S, Prado K, Smith J, et al. Better weight loss, resolution of diabetes, and quality of life for laparoscopic gastric bypass vs banding: Results of a 2-cohort pair-matched study. *Archives of surgery (Chicago, Ill : 1960).* 2011;146(2):149-55. Epub 2011/02/23.
- [400056] Chouillard EK, Karaa A, Elkhoury M, Greco VJ. Laparoscopic roux-en-y gastric bypass versus laparoscopic sleeve gastrectomy for morbid obesity: Case-control study. *Surg Obes Relat Dis.* 2011;7(4):500-5. Epub 2011/04/05.
- [400061] Depaula AL, Stival A, Halpern A, Vencio S. Thirty-day morbidity and mortality of the laparoscopic ileal interposition associated with sleeve gastrectomy for the treatment of type 2 diabetic patients with bmi <35: An analysis of 454 consecutive patients. *World J Surg.* 2011;35(1):102-8.
- [100297] Dixon JB, O'Brien PE, Playfair J, Chapman L, Schachter LM, Skinner S, et al. Adjustable gastric banding and conventional therapy for type 2 diabetes: a randomized controlled trial. *JAMA* 2008 Jan 23;299(3):316-323.
- [200019] Edelson PK, Dumon KR, Sonnad SS, Shafi BM, Williams NN. Robotic vs. conventional laparoscopic gastric banding: A comparison of 407 cases. *Surgical Endoscopy and Other Interventional Techniques.* 2011;25(5):1402-1408.
- [300170] He M, Stubbs R. Gastric bypass surgery for severe obesity: What can be achieved? *The New Zealand medical journal.* 2004;117(1207):U1207. Epub 2004/12/21.
- [400121] Helmiö M, Victorzon M, Ovaska J, et al. SLEEVEPASS: A randomized prospective multicenter study comparing laparoscopic sleeve gastrectomy and gastric bypass in the treatment of morbid obesity: preliminary results. *Surgical endoscopy.* 2012:1-6.
- [400069] Higa K, Ho T, Tercero F, Yunus T, Boone KB. Laparoscopic roux-en-y gastric bypass: 10-year follow-up. *Surgery for Obesity and Related Diseases.* 2011;7(4):516-25.
- [100414] Himpens J, Dapri G, Cadiere GB. A prospective randomized study between laparoscopic gastric banding and laparoscopic isolated sleeve gastrectomy: Results after 1 and 3 years. *Obesity surgery.* 2006;16(11):1450-1456.
- [400072] Hutter MM, Schirmer BD, Jones DB, Ko CY, Cohen ME, Merkow RP, et al. First report from the american college of surgeons bariatric surgery center network: Laparoscopic sleeve gastrectomy has morbidity and effectiveness positioned between the band and the bypass. *Ann Surg.* 2011;254(3):410-22.
- [400122] Inabnet Iii WB, Winegar DA, Sherif B, Sarr MG. Early outcomes of bariatric surgery in patients with metabolic syndrome: An analysis of the bariatric outcomes longitudinal database. *J Am Coll Surg.* 2012;214(4):550-6.
- [300172] Langer FB, Bohdjalian A, Hoda A, Silberhumer G, Felberbauer FX, Rasoul-Rockenschaub S, et al. Early results of laparoscopic adjustable gastric banding using the new low-pressure soft gastric band®. *European Surgery - Acta Chirurgica Austriaca.* 2004;36(6):345-9.

- [300059] Lewis CE, Dhanasopon A, Dutson EP, Mehran A. Early experience with laparoscopic sleeve gastrectomy as a single-stage bariatric procedure. *The American surgeon*. 2009;75(10):945-9. Epub 2009/11/05.
- [200043] Kasza J, Brody F, Vaziri K, Scheffey C, McMullan S, Wallace B, et al. Analysis of poor outcomes after laparoscopic adjustable gastric banding. *Surg Endosc* 2011 Jan;25(1):41-47.
- [100609] Kirchmayr W, Klaus A, Muhlmann G, Mittermair R, Bonatti H, Aigner F, et al. Adjustable gastric banding: assessment of safety and efficacy of bolus-filling during follow-up. *Obes Surg* 2004 Mar;14(3):387-391.
- [100394] Naef M, Naef U, Mouton WG, Wagner HE. Outcome and complications after laparoscopic Swedish adjustable gastric banding: 5-year results of a prospective clinical trial. *Obes Surg* 2007 Feb;17(2):195-201.
- [600015] Nguyen NT, Slone JA, Nguyen XM, Hartman JS, Hoyt DB. A prospective randomized trial of laparoscopic gastric bypass versus laparoscopic adjustable gastric banding for the treatment of morbid obesity: Outcomes, quality of life, and costs. *Ann Surg*. 2009;250(4):631-41. Epub 2009/09/05.
- [100277] Nocca D, Krawczykowsky D, Bomans B, Noel P, Picot MC, Blanc PM, et al. A prospective multicenter study of 163 sleeve gastrectomies: results at 1 and 2 years. *Obes Surg* 2008 May;18(5):560-565.
- [100355] Nocca D, Aggarwal R, Blanc P, Gallix B, Di Mauro GL, Millat B, et al. Laparoscopic vertical banded gastroplasty. A multicenter prospective study of 200 procedures. *Surg Endosc* 2007 Jun;21(6):870-874.
- [100526] Olbers T, Fagevik-Olsen M, Maleckas A, Lonroth H. Randomized clinical trial of laparoscopic Roux-en-Y gastric bypass versus laparoscopic vertical banded gastroplasty for obesity. *Br J Surg* 2005 May;92(5):557-562.
- [200003] Pajecki D, Mancini MC, Halpern A, Zilberstein B, Garrido AB, Jr, Cecconello I. Multidisciplinary approach to morbidly obese patients undergoing surgical treatment by adjustable gastric banding. *Rev Col Bras Cir* 2010 Oct;37(5):328-332.
- [100264] Pinheiro JS, Schiavon CA, Pereira PB, Correa JL, Noujaim P, Cohen R. Long-long limb Roux-en-Y gastric bypass is more efficacious in treatment of type 2 diabetes and lipid disorders in super-obese patients. *Surg Obes Relat Dis* 2008 Jul-Aug;4(4):521-5; discussion 526-7.
- [100466] Puziferri N, Austrheim-Smith IT, Wolfe BM, Wilson SE, Nguyen NT. Three-year follow-up of a prospective randomized trial comparing laparoscopic versus open gastric bypass. *Ann Surg* 2006 Feb;243(2):181-188.
- [200007] Ray JB, Ray S. Safety, efficacy, and durability of laparoscopic adjustable gastric banding in a single surgeon U.S. community practice. *Surg Obes Relat Dis* 2011 Mar-Apr;7(2):140-144.
- [100136] Scozzari G, Farinella E, Bonnet G, Toppino M, Morino M. Laparoscopic adjustable silicone gastric banding vs laparoscopic vertical banded gastroplasty in morbidly obese patients: long-term results of a prospective randomized controlled clinical trial. *Obes Surg* 2009 Aug;19(8):1108-1115.
- [400034] Schouten R, Wiryasaputra DC, Van Dielen FM, Van Gemert WG, Greve JW. Long-term results of bariatric restrictive procedures: A prospective study. *Obes Surg*. 2010;20(12):1617-26. Epub 2010/06/22.
- [200200] Semple CW, Chehata A, Wilkinson S, Wertheimer MA. Laparoscopic adjustable gastric banding: initial Tasmanian experience. *ANZ J Surg* 2003 Aug;73(8):594-596.
- [200196] Shapiro K, Patel S, Abdo Z, Ferzli G. Laparoscopic adjustable gastric banding: is there a learning curve? *Surg Endosc* 2004 Jan;18(1):48-50.
- [100548] Suter M, Giusti V, Worreth M, Heraief E, Calmes JM. Laparoscopic gastric banding: a prospective, randomized study comparing the Lapband and the SAGB: early results. *Ann Surg* 2005 Jan;241(1):55-62.

[200201] Suter M, Giusti V, Heraief E, Zysset F, Calmes JM. Laparoscopic gastric banding. *Surg Endosc*. 2003;17(9):1418-25. Epub 2003/06/13.

[100493] van Dielen FM, Soeters PB, de Brauw LM, Greve JW. Laparoscopic adjustable gastric banding versus open vertical banded gastroplasty: a prospective randomized trial. *Obes Surg* 2005 Oct;15(9):1292-1298.