

Math 1172

Name: _____

Midterm 2

OSU username (name.nn): _____

Spring 2015

Lecturer: _____

Recitation Instructor: _____

Form A

Recitation Time: _____

Instructions

-) SHOW ALL WORK!!! Incorrect answers with work shown may receive partial credit, but unsubstantiated answers may receive NO credit.
-) Give EXACT answers unless asked to do otherwise.
-) You do not need to simplify numerical answers such as $\frac{5}{\sqrt{8}} - \frac{5}{\sqrt{12}}$ unless asked to do otherwise.
-) NO CALCULATORS. NO CELL PHONES. NO ELECTRONIC DEVICES.
-) The exam duration is 55 minutes.
-) The exam consists of 5 problems starting on page 2 and ending on page 6. Make sure your exam is not missing any pages before you start. Page 7 contains formulas. Pages 7 and 8 may be used for extra work space.

Problem Number	Maximum Point Value	Score
1	18	
2	18	
3	22	
4	22	
5	20	
Total	100	

Problem 1

[18 pts] True or False. You do not need to show work for problems on this page.

a) [2 pts] $\frac{50}{3} = 10 - 4 + \frac{8}{5} - \frac{16}{25} + \dots$

b) [2 pts] The second order Taylor polynomial for $f(x) = \tan^{-1} x$ centered at 0 is $p_2(x) = x$.

c) [2 pts] The sequence $a_n = \frac{(-1)^n + n}{2n - 1}$ converges and $\lim_{n \rightarrow \infty} a_n = \frac{1}{2}$.

d) [2 pts] If the series $\sum_{k=10}^{\infty} a_k$ converges then the series $\sum_{k=100}^{\infty} a_k$ converges.

e) [2 pts] Given that $f(x) = \frac{x}{5x+1}$, then $\int_1^{\infty} f'(x) dx = \frac{1}{5} - \frac{1}{6}$.

f) [2 pts] $\lim_{n \rightarrow \infty} \left(1 + \frac{2}{n}\right)^n = 2e$

g) [2 pts] $0 = 1 - 1 + 1 - 1 + \dots$

h) [2 pts] Given $a_1 = 4$ and $a_{n+1} = 12 - 2a_n$ for $n \geq 1$, the first four terms of the sequence $\{a_n\}_{n=1}^{\infty}$ are positive.

i) [2 pts] $\int \frac{1}{x\sqrt{4-x^2}} dx = \int \csc \theta d\theta$, where $x = 2 \sin \theta$.

Problem 2

[18 pts] Determine whether the series converges or diverges. If it converges, find its value. State any tests that you use.

a) [6 pts] $\sum_{k=0}^{\infty} \frac{8^k}{3^{2k}}$

b) [6 pts] $\sum_{k=1}^{\infty} \left(\cos\left(\frac{\pi}{k}\right) - \cos\left(\frac{\pi}{k+1}\right) \right)$

c) [6 pts] $\sum_{k=1}^{\infty} \left(1 + \frac{3}{k} \right)^k$

Problem 3

[22 pts] Consider the function f and its Taylor series $f(x) = \sum_{k=0}^{\infty} \frac{3^k x^k}{(k+1)!}$.

a) [8 pts] Find the radius of convergence for the power series.

b) [6 pts] By inspecting the coefficients of the Taylor series for f centered at 0 (given above), what are the values of $f(0)$, $f'(0)$, and $f''(0)$?

c) [4 pts] Find a power series representation for $f'(x)$.

d) [4 pts] Find a power series representation for $g(x) = x^6 f(3x)$.

[22 pts] Integration.

a) [14 pts] Evaluate the integral.

$$\int \frac{5x + 7}{x^2 + 2x - 3} dx$$

b) [8 pts] Determine whether the improper integral converges or diverges.
If it converges, find its limit.

$$\int_{-3}^0 \frac{5x + 7}{x^2 + 2x - 3} dx$$

Problem 5

[20 pts] Evaluate the indefinite integral. Write your final answer in terms of w .

[You may find this identity useful at some point: $\sin(2\theta) = 2 \sin \theta \cos \theta$.]

$$\int \frac{w^2}{(a^2 + w^2)^2} dw \quad , \text{ where } a > 0 \text{ is a constant}$$