

wimastergardener.org

Anemone 'Honorine Jobert' Anemone x hybrida 'Honorine Jobert'

Type: Herbaceous perennial

Family: Ranunculaceae

Size: 3'-4' (h) x 1.5'-2' (w)

Bloom time: August - September

Flowers: White with yellow stamens on long stems

Leaves: Oval, palmate, toothed

Habitat: Shady, well-drained location protected from wind; avoid wet, poorly drained soils mounding; compact; appreciates winter mulch



adelphigardens.org

Anise Hyssop, Blue Giant Agastache foeniculum Type: Herbaceous perennial

Family: Lamiaceae

Size: 3'-4' (h) x 2'-3' (w)

Bloom time: July - September

- Flowers: Tiny, 2-lipped, tubular, lavender blue flowers densely packed on terminal spikes
- Leaves: Fragrant gray-green, ovatelanceolate, downy beneath on square, hairy stems; opposite; licorice scent
- Habitat: Need good soil drainage; tolerates heat and some dry soils; riparian and open meadows

Attracts: Bumble, honey, native bees; butterflies



wildflowermix.com

Aster. smooth Syphyotrichum laeve Type: Herbaceous perennial

Family: Asteraceae

Size: 2'-4' (h) x 1'-2' (w)

Bloom time: September - October

Flowers: Small, violet blue with yellow center discs in loose clusters in fall; showy

Leaves: Toothed, smooth, bluish-green

Habitat: Prairies, rocky glades, dry open woods, roadsides and thickets; average, dry to medium, well-drained soil in full sun

Attracts: Sweat, bumble bees, butterflies



paramountnursery.ca

Type: Herbaceous perennial

Family: Plantaginaceae

Size: 2'-3' (h) x 1'-2' (w)

Bloom time: April - June

- Flowers: White, two-lipped, tubular in panicles atop rigid stems
- Leaves: Basal leaves are elliptic and stem leaves lance-shaped to oblong, maroon
- Habitat: Dry to medium moist, well-drained soil in full sun; clump forming

Attracts: Hummingbirds

Beardtongue 'Husker Red' Penstamon digitalis 'Husker Red'



davesgarden.com

Bee Balm 'Raspberry Wine' Monarda didyma 'Raspberry Wine'

Type: Herbaceous perennial

Family: Lamiaceae

Size: 3'-4' (h) x 2'-3" (w)

Bloom time: July - August

Flowers: Tubular, two-lipped, raspberry-red, fragrant, in dense, globular, terminal flowerhead

Leaves: Opposite, ovate/lanceolate, serrated, deep-green, 3-6", aroma of mint and basil

Habitat: Average, medium-wet soil in sun to shade, clumping, needs good air circulation

Problems: Subject to fungal leaf diseases

Tidbit: Once used leaves as balm for bee stings, tea

Attracts: Hummingbirds, butterflies, moths, bees



nababutterfly.com

Bergamot,wild Monarda fistulosa Type: Herbaceous perennial

Family: Lamiaceae

Size: 2'-4' (h) x 2'- 3' (w)

Bloom time: July - September

Flowers: Lavender, two-lipped, tubular in dense, globular, terminal flowerhead

Leaves: Toothed, aromatic, oblong, grayish-green, aramatic when rubbed

Habitat: Dry to medium moisture soils in full sun or part shade; likes wood margins, unplanted fields, along roads; needs good air circulation

Problems: Fungal leaf diseases like powdery mildew

Tidbit: Once used as antiseptic, tea

Attracts: Moths, hummingbirds, miner, leaf-cutting, cookoo bees, wasps



peremarquettewildflowers.com

Boneset,common Eupatorium perfoliatum

Type: Herbaceous perennial

Family: Asteraceae

Size: 4'-6'(h) x 3'-4' (w)

Bloom time: July - September

- Flowers: Small, fluffy, white in flat-topped clusters held above foliage
- Leaves: Opposite, wrinkled, lance-shaped, medium green with bases that encircle hairy stems
- Habitat: Average soil in sun to part shade; needs constant moisture; wet ditches and meadows

Tidbit: Once used as a folk medicine

Attracts: Sweat, small carpenter, digger and bumble bees, butterflies



lcbwalter.com

Butterfly Weed Asclepias tuberosa Type: Herbaceous perennial

Family: Apocynaceae

Size: 1'-2.5' (h) x 1'-1.5' (w)

Bloom time: June - August

- Flowers: Orange or yellow-orange atop upright, in flat-topped or rounded groups
- Leaves: Narrow, lance-shaped, alternate, shiny green on hairy non-milky stems
- Habitat: Average to dry, well-drained soil in full sun; tolerates drought; deep tap root
- Tidbits: Roots once used to treat lung diseases so sometimes called pleurisy root; interesting seeds and seed pods

Attracts: Butterflies, sweat and bumble bees



provenwinners.com

Buttonbush, native Cephalanthus occidentalis Type: Deciduous shrub, multi-stemmed

Family: Rubiaceae

Size 5'-12' (h) x 4'-9' (w)

Bloom time: June

- Flowers: Tiny, tubular, 5-lobed, fragrant, white in dense, spherical, long-stalked flower heads like a pincushion
- Leaves: Ovate, glossy, bright green in pairs or whorls
- Habitat: Moist, humusy soil in sun to part shade; often in wet open areas
- Attracts: Sweat, digger and bumble bees butterflies, moths



provenwinners.com

Buttonbush 'Sugar Shack' Cephalanthus occidentalis 'Sugar Shack' Type: Deciduous shrub

Family: Rubiaceae

Size: 3' (h) x 4' (w)

Bloom time: June

- Flowers: Tiny, tubular, 5-lobed, fragrant, white in dense, globular, long-stalked flower heads like a pinchsuion
- Leaves: Oviate, glossy bright green in pairs or whorls; turn yellow-red in fall
- Habitat: Moist, humusy soil in sun to part shade, tolerates wet areas



pixshark.com

Coneflower, Purple, 'Magnus' Echinacea purpurea 'Magnus' Type: Herbaceous perennial

Family: Asteraceae

Size: 2.5'-3' (h) x 1'-1.5' (w)

Bloom time: June - August

Flowers: Rosy purple, daisy-like, up to 5" in diameter on stiff stems

Leaves: Coarse, ovate to broad-lanceolate, dark green

Habitat: Average, dry to medium, well-drained soil; tolerant of drought, heat, humidity, and poor soil; prairies, meadows, open woods

Attracts: Bumble, digger, leaf-cutting, Halictid bees, butterflies, skippers



affordabletrees.com

Type: Deciduous tree, dwarf

Family: Rosaceae

Size: 8'-12' (h) x 12' (w)

Blossom time: April - May

Flowers: coral pink, semi-double,small rust-red, sparce fruit

Leaves: Ovate, lobed, dark green

Habitat: Sun to light shade; fairly droughttolerant

Crabapple'Coralburst' Malus 'Coralcole'



minnesotaseasons.com

Culver's Root Veronicastrum virginicum

Type: Herbaceous perennial

Family: Scrophulanaceae

Size: 3'-7' (h) x 2'-4' (w)

Bloom time: June - August

Flowers: White to pale blue, tiny, tube-like in dense,

tapering spikes on strong stems; open from the bottom up

- Leaves: Ovate, serrated, in whorls (3-7 leaves per whorl) on the stems
- Habitat: Average soil, medium to wet, well-drained in full sun; prairies. meadows; moist soil

Tidbit: Once used for medicine

Attracts: Sweat, small carpenter, bumble,



davesgarden.com

Daylily 'Raspberry Pixie' Hermocallis 'Raspberry Pixie' Type: Herbaceous perennial

Family: Xanthorrhoeaceae

Size: 1.5'-2' (h) x 1.5'-2' (w)

Bloom time: July

Flower: Raspberry with a yellow throat, funnel or bell-shaped with 6 curved perianth segments that may have ruffled edges; usually remains open 1-2 days, fragrant

Leaves: Basal, strap-shaped in fans

Habitat: Average, medium moisture, welldrained soil in full sun to part shade; tolerant of summer heat and humidity



rochefleuriegarden.blogspot.com

Dianthus 'Tiny Rubies' Dianthus gratianopolitanus 'Tiny Rubies'

Type: Herbaceous perennial

Family: Caryophyllaceae

Size: 6"-12" (h) x .5'-1' (w)

Bloom time: June - July

Flowers: deep pink, jagged-edged double flowers in small clumps; clove-scented

Leaves: gray-green, narrow, needle-like

Habitat: Rock gardens, wall crevices, dry soil; avoid overwatering; need good air circulation; full sun to light shade



knechts.net

Dogwood 'Red osier' or red twig dogwood Cornus sericerea 'Red osier' Type: Deciduous shrub, multi-stemmed

Family: Cornaceae

Size: 7'-9' (h) x 4'-5' (w)

Bloom time: May - June

- Flowers: Small, 4-petaled, white in flat-topped clusters on red stems; white berries
- Leaves: Ovate, opposite, mediumdark green, smooth margins

Habitat: Clay soils, wet swampy areas

Tidbit: Fruit attractive to birds; used for basketweaving



justfruitsandexotics.com

Elderberry 'Bob Gordon' Sambucus canadensis 'Bob Gordon'

Type: Deciduous shrub, multi-stemmed

Family: Adoxaceae

Size: 5'-12' (h) x 5'-12' (w)

Bloom Time: June - July

Flowers: White, tiny in flat-topped clusters up to 10" across, fragrant, develops edible berries

Leaves: Long, slender, dark green compound

- Habitat: Medium-wet, well-drained soil in sun or part shade; not drought tolerant
- Tidbit: Pith of twigs good nesting site for cavitynesting bees



alamy.com

Elderberry 'Laciniata' Sambucus canadensis 'Laciniata' Type: Deciduous shrub, multi-stemmed

Family: Adoxaceae

Size: 5'-8' (h) x 5'-8' (w)

Bloom time: June - July

Flowers: White, tiny, lemon-scented in flat clusters up to 10" across, develops edible berries

Leaves: Deeply-cut leaflets

Habitat: Medium to wet, well-drained soil in sun or part shade



gardeningknowhow.com

Elderberry, native Sambucus canadensis

Type: Deciduous shrub, multi-stemmed

Family: Adoxaceae

Size: 5'-12' (h) x 5'-12' (w)

Bloom time: June - July

Flowers: Lemon-scented, tiny, white held in flattopped clusters up to 10" across; develop into edible berries

Leaves: Long, slender, dark green compound

Habitat: Medium to wet, well-drained soil; found in stream banks, thickets, fence rows

Tidbit: Pith of twigs good nesting site for cavitynesting bees; once used to make flutes and for dyes



monticelloshop.org

False indigo Baptisia australis Type: Herbaceous perennial

Family: Fabaceae

Size: 3'-4' (h) x 3'-4' (w)

Bloom time: May - June

Flowers: Purple, lupine-like on flower spikes held above foliage; seeds rattle in blackened seed pods

Leaves: Clover-iike, trifoliate, bluish-green

Habitat: Average, dry-medium, well-drained soil in sun to part shade; tolerates drought and poor soils

Tidbits: Seed pods once used as rattles by children; once used as a poor substitute for indigo as a blue dye

Attracts: Butterflies, bees



truffaut.com

Forsythia Gold Tide 'Courtasol' Forsythia x intermedia 'Courtasol' Type: Deciduous shrub

Family: Oleaceae

Size: 1'-2' (h) x 1'-4' (w)

Bloom time: March - April

Flowers: Yellow along stem before leaves appear

Leaves: Ovate, medium green

- Habitat: Loose, medium moisture, welldrained soil in sun to part shade; tolerates urban conditions
- Problems: Occasional damage to flower buds by cold and late freezes



georgeweigel.net

Fothergilla 'Mount Airy" Fothergilla x intermedia 'Mount Airy' Type: Deciduous shrub, dwarf

Family: Hamamelidaceae

Size: 3'-5' (h) x 3'-5' (w)

Bloom time: April - May

- Flowers: Profuse, white with yellow anthers, tiny, fragrant on terminal, bottlebrush-like spikes,
- Leaves: Leathery, ovate to obovate, dark green above and blue-gray below; turn yellow, orange or red-purple in fall
- Habitat: Average, medium moisture, well-drained soil in sun to part shade; prefers moist, acidic, rich soil with good drainage



stromovous.net

Fothergilla, native Fothergilla major Type: Deciduous shrub

Family: Hamamelidaceae

Size: 6'-10' (h) x 5'-9' (w)

Bloom time: April - May

- Flowers: White with yellow anthers, tiny, fragrant on terminal, bottlebrush-like spikes
- Leaves: Leathery, ovate, dark green above and bluish gray underneath with marginal teeth; turns yellow, orange or purple-red in fall
- Habitat: Average, medium moisture, well-drained soil in sun to part shade; moist, acidic, rich soil preferred

Attracts: Honey bees



<u>mijntuin.org</u>

Geranium 'Nimbus' Geranium 'Nimbus' Type: Herbaceous perennial

Family: Geraniaceae

Size: .75'-1.5' (h) x 1'-2' (w)

Bloom time: June - July; lighter bloom conti

- Flowers: Five-petaled, finely-veined, bluish-purple with white centers
- Leaves: Palmate, deeply-lobed, emerge with yellow tint and mature to bright green
- Habitat: Average, medium moisture, well-drained soil in sun to part shade



hydrangeamania.com

Hydrangea oakleaf Hydrangea quercifolia

Type: Deciduous shrub

Family: Hydrangeaceae

Size: 6'-8' (h) x 6'-8' (w)

Bloom time: May - July

- Flower: White becoming purplish pink in pyramidal panicles
- Leaves: Large, 3-7 lobed, oak-like, dark green
- Habitat: Rich, medium moisture, welldrained soil in sun to part shade

Attracts: Flies, wasps



pro-faber.ro

Iris, Siberian, 'Anniversary' Iris siberica 'Anniversary'

Type: Herbaceous perennial

Family: Iridaceae

Size: 3' (h) x 2.5'-3' (w)

Bloom time: May - June

- Flower: White, falls marked with yellow hafts, beardless on upright stalks
- Leaves: Narrow, strap-like, linear, medium green; fan-shaped
- Habitat: Moist, fertile, humusy, rich, slightly acidic soil in sun to part shade; needs moisture



peremarquettewildflowers.com

Joe Pye Weed, Sweetscented Eutrochium purpureum

Type: Herbaceous perennial

Family: Asteraceae

Size: 5'-7' (h) x 2'-4' (w)

Bloom time: July - September

- Flowers: Tiny, vanilla-scented, dull pinkish-purple in large, terminal, domed inflorescences
- Leaves: Coarsely-serrated, lance-shaped, dark green in wholes of 3-4, vanilla-scented
- Habitat: Moist, fertile soil in sun to part shade; needs space; in thickets and open woods
- Tidbit: Supposedly named after Indian Joe Pye who used plant as a medicine

Attracts: Butterflies and bees



commons.wikipedia.org

Lenten Rose Helleborus orientalis Type: Herbaceous perennial

Family: Ranunculaceae

Size: 1'-1.5' (h) x 1'-1.5' (w)

Bloom time: March - April

- Flower: Rose-purple with yellow stamens, cupshaped, flowers in clusters above stems
- Leaves: Palmate, serrate, leathery, wide, glossy, basal, dark green with 7-9 leaflets, evergreen
- Habitat: Rich, humusy, well-drained soil in part to full shade; protect from cold winter winds; clumping
- Tidbit: Leaves, stems and roots are poisonous if eaten



ehvileivapuu38.blogspot.com

Leopardbane 'Magnificum' Doronicum orientale 'Magnificum' Type: Herbaceous perennial

Family: Asteraceae

Size: 2'-5' (h) x 1'-1.5' (w)

Bloom time: April - May

- Flowers: Yellow, daisy-like in terminal clusters on erect stems, up to 3" wide
- Leaves: Basal leaves are heart-shaped and deeply toothed; upper leaves eliptical, medium green
- Habitat: Moist, humusy, well-drained soil in sun or part shade; protected location; rock or woodland gardens; mounding



phenology.osu.edu

Lilac, Chinese, 'Red Rothomagensis' Syringa x chinensis 'Red Rothomagensis' Type: Deciduous shrub

Family: Oleaceae

Size: 12'-16' (h) x 8'=12' (w)

Bloom time: May

- Flowers: Reddish-purple, fragrant in pyramidal inflorescences
- Leaves: Opposite, simple, ovatelanceolate, about two times as long as wide; medium-dark green; susceptible to powdery mildew

Habitat: Average, medium-moisture, welldrained soil in full sun; needs good air circulation

Tidbit: Stems once used for pipes



mailordertrees.co.uk

Lilac, Common, 'Charles Joly' Syringa vulgaris 'Charles Joly'

Type: Deciduous broadleaf shrub

Family: Oleaceae

Size: 8'-15' (h) x 6'-12' (w)

Bloom time: April - May

Flowers: Reddish-purple double in, large conical panicles, fragrant

- Leaves: Opposite, pointed-ovate to heartshaped, dark gray-green to blue green
- Habitat: Average, medium moisture, well-drained soil in full sun; needs good air circulation

Tidbit: Stems were once used for pipes



pahls.com

Lilac, Common, 'President Grevy' Syringa vulgaris 'President Grevy' Type: Deciduous shrub

Family: Oleaceae

Size: 8'-14' (h) x 3'-7' (w)

Bloom time: May

- Flowers: Fragrant, double, light blue in large, conical panicals
- Leaves: Opposite, pointed to heart-shaped, gray green to blue green
- Habitat: Average, medium moisture, welldrained in full sun; avoid soggy soil; needs good air circulation

Tidbit: Stems once used for pipes



greenthumbinzone5.blogspot.com

Lilac, Manchurian, 'Miss Kim' Syringa pubescens, subsp.patula 'Miss Kim'

Type: Deciduous shrub, dwarf

Family: Oleaceae

Size: 4'-7' (h) x 4'-7' (w)

Bloom time: May

Flowers: Lilac-purple, 4-6" long, in dense terminal clusters in pairs at branch tips

Leaves: Elliptic, dark green turn burgundy in fall

Habitat: Easily grown in average, well-drained soil in full sun; needs good air circulation



panoramio.com

Magnolia, star, 'Royal Star' Magnolia, stellata 'Royal Star' Type: Deciduous tree

Family: Magnoliaceae

Size: 10'-20' (h) x 8'-15' (w)

Bloom time: March - April

Flowers: White, star-shaped with 12-18 straplike tepals, fragrant

Leaves: Oblong, glossy, dark green

Habitat: Moist, rich, well-dfrained soil in full sun to part shade; needs constant moisture; intolerant of urban pollutants; can be susceptible to frost damage



gobotany.newenglandwild.org

Mountainmint, Clustered Pycnanthemum muticum

Type: Herbaceous perennial

Family: Lamiaceae

Size: 1'-3' (h) x 1'-3' (w)

Bloom time: July - September

- Flowers: Two-lipped, tubular pale pink flowers in dense, flat-topped terminal clusters
- Leaves: Dark green, ovate, pointed with round or heart-shaped bases and toothed margins; aromatic when crushed
- Habitat: Fertile, well-drained, moist to medium moist soil in full sun to part shade; vigorous grower

Attracts: Magnet for many pollinators



<u>ninepix.ru</u>

Phlox, garden, 'David' Phlox paniculata 'David' Type: Herbaceous perennial

Family: Polemoniaceae

Size: 2'-4' (h) x 2'-3' (w)

Bloom time: July - September

Flowers: Fragrant, tubular, white, packed in large, tiered domed, terminal, clusters; each floret has a long corolla tube and five flat petal-like lobes

Leaves: Opposite, veined, pointed, elliptic, deep green

Habitat: Fertile, medium moisture, well-drained soil in full sun to part shade; needs good air circulation and needs to be watered when it's dry



michwildflowers.com

Pinnate Prairie Coneflower Ratibida pinnata

Type: Herbaceous perennial

Family: Asteraceae

Bloom time: July - August

Flowers: Composite, dull-gray central disk in shape of elongated cylinder, which smells like anise when bruised; yellow downward pointing ray flowers (3-7) attached to bottom of disk

Leaves: Pinnately divided on stiff stems

Habitat: Average, medium moisture, well-drained soil in full sun; likes clay or sandy soil and tolerates poor, dry soil; rhizomatous roots form clumps

Attracts: Sweat, digger, cuckoo, leaf-cutting, small and large, carpenter, green metallic and bumble bees; wasps, flies, butterflies, beetles



flickr.com

Potentilla 'Abbottswood' Potentilla fruticosa 'Abbottswood' Type: Deciduous shrub, dwarf cultivar

Family: Rosaceae

Size: 2'-3' (h) x 2'-3' (w)

Bloom time: June - September

Flowers: White, buttercup-like flowers with 5 petals and yellow centers

- Leaves: Compound-pinnate (usually with 5 narrow elliptic leaflets each), medium green to blue green
- Habitat: Average, medium moisture, well-drained soil in full sun



marathonpundit.blogspot.com

Rattlesnake Master Eryrigium yuccitolium

Type: Herbaceous perennial

Family: Apiaceae

Size: 4'-5' (h) x 2'-3' (w)

Bloom time: June - September

Flowers: Tiny, stemless, greenish-white flowers packed into globular 1" diameter heads which appear in branched clusters at the top of smooth, stiff stems

- Leaves: Basal rosettes of parallel-veined, spiny, sword-shaped medium green up to 3' long, resemble those of yucca
- Habitat: Prefers dryish, sandy soil but easily grown in average, well-drained soil in full sun; once established do not disturb because of tap root



hirsutum.info theshopatvictoriagardens.blogspot.com

Rhododendron 'PJM' Rhododendron periclymenoides 'PJM' Type: Broadleaf evergreen

Family: Ericaceae

Size: 3'-6' (h) x 3'-7' (w)

Bloom time: April

Flowers: Pink, rose, or lavender in clusters of 4-9 flowers, does not produce seed

Leaves: Elliptic, leathery, dark green 2-5" long; purplish in winter

Habitat: Acidic, humusy, rich, moisture-retentive, well-drained soil in part to full shade; protect from strong winter winds; mulch



swdesertgardening.wordpress.com

Rose of Sharon 'Blushing Bride' Hibiscus syriacus 'Blushing Bride' Type: Deciduous shrub, multi-stemmed

Family: Malvaceae

Size: 8'-12' (h) x 6'-10- (w)

Bloom time: June - October

Flower: Pink with red eyes, 5-petaled, hollyhock-like, to 3" wide, double

Leaves: Palmately-veined, coraselytoothed, three-lobed, medium green

Habitat: Average, medium moisture, well-drained soil in full sun to shade; tolerant of summer heat and humidity and urban conditions



flickr.com

Sage 'May Night' Salvia x sylvestris 'May Night' Type: Herbaceous perennial, hybrid

Family: Lamiaceae

Size: 1.5"2' (h) x 1'-1.5' (w)

Bloom time: May - June

Flowers: Violet-blue, 2-lipped, tiny, tubular arranged on square upright stems

Leaves: Opposite, oblong to lanceolate, medium green, fragrant

Habitat: Average, well-drained soils or in gravelly ot sandy soil; tolerates drought



northcoastgardening.com

Sedum 'Autumn Joy' Hylotelephium 'Herbstfreude'

Type: Herbaceous perennial

Family: Crassulaceae

Size: 1'-1.5' (h) x 1.5'-2' (w)

- Flowers: Rosy pink buds turn red then rust; tiny, star-like in large flattened heads atop fleshy stems
- Leaves: Fleshy, rounded, succulent-like growing upright in spreading clumbs
- Habitat: Average, dry to medium, well-drained soil in full sun; also sandy to gravelly soils; drought tolerant

Attracts: Butterflies, bees



free-stock-illustration.com

Spirea 'Goldflame' Spirea japonica 'Goldflame' Type: Deciduous shrub Family: Rosaceae Size: 3'-4' (h) x 3'-4' (w)

Bloom time: June - July

Flower: Pink, tiny, in flat-topped clusters

Leaves: Emerge bronze-red, mature to yellow-green and develop yellow-orange-copper colors in fall

Habitat: Average, medium moisture, well-drained soil in full sun; has good heat tolerance



visoflora.com

Spirea, Vanhoutte Spirea x vanhouttei Type: Deciduous shrub

Family: Rosaceae

Size: 3'-8' (h) x 7'-10' (w)

Bloom time: April - May

- Flowers: White, tiny, in clusters that cover leafy branches
- Leaves: Small, obovate, serrated, dark blue-green with 3-5 lobes
- Habitat: Average, medium moisture, well-drained soil in full sun; prune after flowering



flowerspictures.org

Verbena, swamp Verbena hastata Type: Herbaceous perennial

Family: Vergenaceae

Size: 2'-6' (h) x 1'-2.5' (w)

Bloom time: July - September

- Flowers: Purplish-blue, tiny, tubular, 5-lobed, densely packed on candelabra-like inflorescences of pencil-like spikes; flowers bloom bottom to top on each spike, only a few at a time
- Leaves: Lance-shaped, sharply toothed, green, 6", on square erect stems
- Habitat: Average, medium to wet soil in full sun; forms colonies; ditches, shores, wet fields
- Attracts: Bees including miner, halictid, specialist verbena bees, wasps, bee flies, beetles



autumnlightspicture.blogspot.com

Viburnum, arrowwood 'Ralph Senior' Viburnum dentatum 'Ralph Senior' Type: Deciduous shrub

Family: Adoxaceae

Size: 6'-10' (h) x 6'-10' (w)

Bloom time: May - June

Flowers: Showy, white, non-fragrant, in flat-topped groups

Leaves: Ovate, toothed, glossy. dark green

Habitat: Average, medium moisture, welldrained soil in sun to part shade; some drought tolerance

Tidbit: Native Americans supposedly used its straight stems for arrow shafts

Attracts: Birds, butterflies



pinterest.com

Viburnum,. Koreanspice Viburnum carlesii Type: Deciduous shrub

Family: Adoxaceae

Size 4'-6' (h) x 4'-7' (w)

Bloom time: March - April

Flowers: Pink buds turn white; in snowball-like clusters; fragrant

Leaves: Broad, ovate, serrated, dark green; turn dull red in fall

Habitat: Average, well-drained soil in full sun to part shade; slow-growing

Attracts: Birds, butterflies



Type: Deciduous shrub

Family: Caprifoliaceae

Size: 6'-9' (h) x 6'-9' (w)

- Bloom time: April June followed by repeat blooms
- Flowers: Showy, red, funnel-shaped
- Leaves: Elliptic to obovate, medium green

Habitat: Average, medium moisture,welldrained soil in full sun

prairieroseplants.com pepinierebrown.com

Weigela 'Red Prince' Weigela florida 'Red Prince'



velodujour.wordpress.com

White Prairie Clover Dalea candida

Type: Herbaceous perennial

Family: Fabaceae

Size: 1'-2' (h) x .75'-1.5' (w)

Bloom time: May - July

- Flowers: Tiny, white in elongated cone-like heads on stems 1-2' tall; flowers bloom bottom to top
- Leaves: Compound, odd-pinnate, dull green leaves with 5-7 narrow linear leaflets
- Habitat: Average, well-drained soil in full sun; drought tolerant with deep tap root; prairies, disturbed areas

Tidbit: Root once used for food and leaves for tea

Attracts: Bumble, Halictid, plasterer bees, wasps, flies and small butterflies



 $\underline{usinggeorgianative plants.blogspot.com}$

Wild quinine Parthenium integrifolium

Type: Herbaceous perennial

Family: Asteraceae

Size: 2'-4' (h) x 1'-2' (w)

Bloom time: May - August

- Flowers: White with 5 ray flowers in woolly-looking flower heads; appear in broad, flat-topped terminal corymbs
- Leaves: Aromatic, toothed and sandpapery; longpetioled; basal leaves larger than stem leaves
- Habitat: Average, dry-medium, well-drained soil in full sun; tolerates rocky soil
- Tidbit: Formerly used as a medicine

Attracts: Halictine bees, wasps, flies, beetles, bugs



florafinder.com

Zizia, golden alexander Zizia aurea Type: Herbaceous perennial

Family: Apiaceae

Size: 1.5'-3' (h) x 1.5'-2' (w)

Bloom Time: May - June

- Flowers: Yellow, tiny in flat-topped clusters on stems 3' tall, showy
- Leaves: Compound, biternate with toothed leaflets
- Habitat: Average, medium moisture, well-drained soil in sun to part shade; often massed in open woodlands or prairies

Attracts: Yellow-faced, Andrenid, sweat and cuckoo bees

Web Sources

www.bygl.osu.edu www.chicagobotanic.org www.extension.illinois.edu www.extension.umn.edu www.gardening.cornell.edu/homegardening www.illinoiswildflowers.info www.missouribotanicalgarden.org/plantfacts www.nativeplants.msu.edu/uploads/files www.plantfacts.osu.edu www.plants.usda.gov www.pollinator.org www.xerces.org

Guide to Plants

in the

OSU Phenology Gardens

Compiled by Mary Brennan, OCVN, Lake Cty Lori Nelson, MG, Summit Cty